

Safety Data Sheet

according to JIS Z 7253: 2019

Issue date: 5/9/2006 Version: 3.7 Revision date: 3/28/2025

1. Chemical product and company identification

Substance name : VINYBLAN HD-065

Recommended use of the chemical and restrictions on use

Recommended use : Coating agent, Binder Restrictions on use General industrial use

Company information

Nissin Chemical Industry Co., Ltd.

100-0004 Japan

Shin Otemachi Building, 2-2-1 Otemachi, Chiyoda-ku, Tokyo

T +81-3-6262-0276 - F +81-3-6262-0277

2. Hazards identification

GHS classification

Physical hazards classification not possible **Explosives**

> Flammable gases No classification

classification not possible Aerosol

Oxidizing gases No classification No classification Gases under pressure

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

classification not possible

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which

in contact with water emit

flammable gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) classification not possible

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity No classification

(inhalation:vapours)

Acute toxicity classification not possible

(inhalation:dust/mist)

Skin corrosion/irritation classification not possible Serious eye damage/eye classification not possible

irritation

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity Category 1B

Carcinogenicity classification not possible
Reproductive toxicity classification not possible
Specific target organ toxicity classification not possible

(single exposure)

Specific target organ toxicity classification not possible

(repeated exposure)

Aspiration hazard classification not possible

environment, short-term (acute)

Hazardous to the aquatic

Hazardous to the aquatic classification not possible

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms

Environmental

hazards



GHS Signal word : Danger

Hazard statements : May cause genetic defects. (H340)

Precautionary statements

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and

classification not possible

understood. (P202)

Wear protective gloves, protective clothing, eye protection, face

protection. (P280)

Avoid release to the environment. (P273)

Response : IF exposed or concerned: Get medical advice/attention.

(P308+P313)

Get medical advice/attention if you feel unwell. (P314)

Storage : Store locked up. (P405)

Store in a well-ventilated place. Keep cool. (P403+P235)

Disposal : Dispose of contents/container in accordance with

local/regional/national/international regulations. (P501)

3. Composition/information on ingredients

Distinction of substance or

mixture

: Mixture

Generic name : Colloidal dispersion of Alkyl acrylate based copolymer in water

Reference number in the

Name	Concentration (%)	Reference number in the gazette list		CAS-No.
		CSCL No	ISHL No	
Alkyl acrylate based copolymer	1 - 10	Undisclosed	Undisclosed	Undisclosed
Silica(amorphous)	1 - 10	Undisclosed	Undisclosed	Undisclosed
Methanol	< 0.3	(2)-201	Existing Chemical Substance	67-56-1
2-Pyrrolidinone, 1- methyl-	< 0.3	(5)-113	8-(1)-1014 (8-(1)- 1013),8-(1)- 2246	872-50-4
Water	85 - 95	-	-	7732-18-5

4. First aid measures

First aid measures

First-aid measures after

inhalation

: Remove the sufferers to fresh air places and keep themselves rest in an easy-to- breath position. Get medical advices immediately.

First-aid measures after skin

contact

: Take off contaminated clothes, shoes and socks. And wash sticking parts off with soap and plenty of water. If the external changes are observed or the symptoms such as irritation or itchy appears, get modical advices immediately.

get medical advices immediately.

First-aid measures after eye

contact

: Rinse immediately inner side of eyelid with plenty of water more than 20 minutes. Remove the contact lenses if possible. Get

medical advices.

First-aid measures after

ingestion

: Rinse mouth thoroughly with water and get medical attention

immediately.

Never give anything through mouth to an unconscious person.

5. Fire fighting measures

Suitable extinguishing media

: Water and alkali salt, Fire foam, Water, Dry chemical

Unsuitable extinguishing

media

: Nothing in particular

Fire hazard

Fire hazard

: This product itself is not a flammable compound. But dry film after

evaporating water is flammable.

Hazardous decomposition products in case of fire

: The hazardous gasses such as carbon mono- and di-oxide and aldehyde group are generated at the Product's combustion.

Firefighting instructions

Firefighting instructions

: Cut off ignition sources to a fire origin and fight a fire employing a

suitable fire extinguishing agent.

Cool by water spray around the fire site to prevent the fire

extension.

Personal protection (Emergency response)

response)

Personal protection (Emergency : Wear suitable protective tools such as goggles, boots, gloves, and body suits as well as a self-contained breathing apparatus to avoid direct contact. Fight a fire from the windward.

Other information

: One of the general procedures for chemical fires may be applied. Use appropriate extinguishing measures considering the local circumstances and environments. Never inhale such smoke, etc. as are generated at fire and/or explosion. Use water spray to cool unopened containers. Recover the water contaminated with fire extinguishing agents separately. Never discharge this water into drains. Fire residues and contaminated fire extinguishing water must be disposed of complying with local regulations.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures

: Wear a self-contained breathing apparatus and suitable chemical protective clothes and tools, and work from windward.

For emergency responders

Protective equipment

: Wear suitable protective tools such as goggles, boots, gloves, body suits and a self-contained breathing apparatus according to circumstances to avoid inhalation of and direct contact with materials in question.

Emergency procedures : Clear off all of ignition sources immediately.

Work from windward.

Stop release.

Environmental precautions

Environmental precautions : Never release this products to waters and soil.

If the products spill into rivers, lakes or marshes, inform the fire

station or authorities of the local governments.

Methods and Equipment for Containment and Cleaning up

For containment : When the releasing materials are large, prevent spreading by

cover with banking and the like and vacuum and recover with a

pump,etc.

When the releasing materials are small, recover as mortar after

mix with perlite, dirt, sawdust and/or the like.

Methods for cleaning up : Clean up the surroundings of the releasing area with water after

recovery and recover the contaminated water as well.

Prevention Measures for

Secondary Accidents

: If the products spill into rivers, lakes or marshes, inform to the fire stations, authorities relating environment disruption, River Bureau,

Water Supply Bureau, etc. of local governments, if necessary.

Other information : Take care of slip as released area becomes easy to slip.

7. Handling and storage

Handling

Technical measures : As polyvalent metal ions such as iron, copper, zinc, aluminum, etc.

may cause collering, gelling, etc, pay care and attention for choice

of storage installations, pipework, blenders and the like.

Use in well-ventilated areas.

Precautions for safe handling : Wear suitable personal protecting tools such as protecting gloves,

protecting glasses, etc. according to circumstances to avoid to

contact with skin or eye(s).

Never treat containers roughly such as overturning, falling,

dragging, impacting and the like.

Prevents handling of

incompatible substances or

mixtures

: No information.

Hygiene measures

: Wash hands at the end of each work shift before eating, smoking

or using the toilet.

Never eat, drink nor smoke during work.

Local and general ventilation

: In case of the work with generation of spray mist or vapor, install

local air exhausters.

Storage

Storage conditions	:	Storage temperature must be kept not less than 5°C and never exceed 35°C.
		Store indoor, preventing from sunlight and freezing.
		Avoid dust, water, etc. coming into opened containers in use.
Material used in packaging/containers	:	Use the containers having water resistance and durability, and avoid from contact with metals as possible.
		In case of translocation, use stainless or polyethylene containers to prevent corrosion.
Technical measures	:	Keep containers stoppled tightly after use to prevent forming film.
Incompatible materials	:	Strong oxidizers. Reactive metals. (sodium,calcium, zinc, etc.). Dehydrating agent.

8. Exposure controls / Personal protection equipment

Methanol (67-56-1)				
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	200 ppm			
ACGIH OEL STEL	250 ppm			
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route			
USA - ACGIH - Biological Exposure Indices				
BEI	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific)			
Japan - Occupational Exposure Limits				
Japan administration level	200ppm			
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)			
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)			
2-Pyrrolidinone, 1-methyl- (872-50-4)				
USA - ACGIH - Biological Exposure Indices				
BEI	100 mg/l Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone - Medium: urine - Sampling time: end of shift			
Japan - Occupational Exposure Limits				
Exposure limits (JSOH)	1ppm(4mg/m3)(skin)			

Appropriate engineering controls : Install sealing equipments or local exhaust equipments at indoor work,

Express the $\,$ place clearly where safety shower(s) and hand and eye $\,$

washer(s) are equipped.

Protective equipment

Respiratory protection : It is needless under normal conditions at well ventilated place, In

case of insufficient ventilation, wear suitable respiratory equipment

Hand protection : Impermeable protect gloves.

Eye protection : goggles style protective glasses

Skin and body protection : Protective boots, protective clothes.

9. Physical and chemical properties

Physical state : Liquid Colour : milky

Odour : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : $\approx 100 \, ^{\circ}\text{C}$ Flash point : None

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : No data available
Vapour pressure : No data available
Relative vapour density at : No data available

20°C

Relative density : No data available

Density : No data available

Relative gas density : No data available

Solubility : Miscible with water

Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Explosive limits (g/m³) : No data available Viscosity, kinematic : No data available Particle size : No data available

10. Stability and reactivity

Reactivity : No reactivity with water

Chemical stability : Stable under room temperature.

Possibility of hazardous : No information

reactions

Conditions to avoid : No information Incompatible materials : No information

Hazardous decomposition : The hazardous gasses such as carbon mono- and di-oxide and

products aldehyde group are generated at the Product's combustion.

11. Toxicological information

No data available Acute toxicity (oral) : (as a product) Acute toxicity (dermal) : (as a product) No data available Acute toxicity (gas) -(as a product) No data available

Description

No data available Acute toxicity (vapour) -: (as a product)

Description

Acute toxicity (dust, mist) -: (as a product) No data available

Description

No data available Acute toxicity (mist) -: (as a product)

Description

No data available Skin corrosion/irritation : (as a product)

Serious eye damage/irritation : (as a product) No data available

No data available Respiratory sensitization : (as a product) Skin sensitization (as a product) No data available

Germ cell mutagenicity : (as a product) There are no available data about this product.

> But, there contain Germ cell mutagenicity materials belonging to the following Category 1B: 2-Pyrrolidinone, 1methyl- (<0.3%) Concentration limits of Category 1B is ≥0.1%. So, this product is

correspond to Germ cell mutagenicity Category

1B of GHS.

Carcinogenicity No data available : (as a product)

Reproductive toxicity : (as a product) No data available STOT-single exposure : (as a product) No data available No data available

: (as a product)

Aspiration hazard No data available : (as a product)

12. Ecological information

Ecotoxicity

No data available : (as a product) Ecotoxicity No data available Hazardous to the aquatic : (as a product)

environment, short-term

STOT-repeated exposure

(acute)

Hazardous to the aquatic

environment, long-term

(chronic)

: (as a product)

No data available

Persistence and degradability

Persistence and degradability : (as a product) No data available

Biochemical oxygen demand : (as a product) No data available

(BOD)

Chemical oxygen demand : (as a product) No data available

(COD)

Bioaccumulative potential

Bioaccumulative potential : (as a product) No data available

Partition coefficient n- : (as a product) No data available

octanol/water (Log Pow)

Mobility in soil

Mobility in soil : (as a product) No data available

Partition coefficient n- : (as a product) No data available

octanol/water (Log Pow)

Ecology - soil : (as a product) No data available

Hazardous to the ozone layer

Ozone : (as a product) No data available

Other adverse effects : No additional information available

13. Disposal considerations

Ecological waste information : Farm out to professional disposal treating traders in

compliance with requirements of the nation and local

governments.

Contaminated container and

packaging

: Farm out dispose of the contents and packing materials to

professional disposal treating traders in compliance with

requirements of the nation and local governments.

In case of disposal of empty container, dispose after complete

removal in the container.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : Not applicable Proper Shipping Name (IMDG) Not applicable

Packing group (IMDG) : Not applicable Transport hazard class(es) : Not applicable

(IMDG)

Air transport(IATA)

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Packing group (IATA) : Not applicable
Transport hazard class(es) : Not applicable

(IATA)

Regulations in Japan

Other information : At transportation, make sure of no leakage of packings, load

the products without broken bags, falling, injury, etc, and

prevent load

collapses surely, See "7 Handling and storage"

15. Regulatory information

REACH SVHC : Contains a substance on the REACH candidate list in

concentration ≥ 0.1%: 2-Pyrrolidinone, 1-methyl- (EC 212-

828-1, CAS 872-50-4)

Contains substance(s) listed on the REACH Candidate List <

0.1% or SCL.

16. Other information

Data sources : Ref. 1."Safety Data Sheet" by Raw Material Manufacturers.

2.GHS Sixth Revised Edition. 3.NITE GHS Results of the

Classification.

Other information : The Products was developed for general industries' use. When

applying to specific uses, it is hoped to confirm its safety by yourselves prior to the use. Prior to use or handle of this products, keep all people who handle this product informed of the information of this SDS and other information concerning safety and disasters. The description of this SDS is based upon materials, information and data which can be procured at present. However, we do not warrant any guarantee regarding the contents, physical and chemical properties, hazards and

the like.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are

beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable